2

AD-A194 574 —

THE FILE CUP!

Form Approved

1					OMB No. 0704-0188
1a REPORT SECURITY CLASSIFICATION Unclassified	TIP	16. RESTRICTIVE			
2a. SECURITY CLASSIFICATION AUTHORITY 2b. DECLASSIFICATION / DOWNGRADI THEOLOGY THE	3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited				
4. PERFORMING ORGANIZATION REPORTUME	a 1		ORGANIZATION RE		MBER(S)
6a NAME OF PERFORMING ORGANIZATION Technion - Israel Institute of Technology	6b. DF)ICE SYMBOL (If applicable)	European Developme	ent (EOARD)	erospac	e Research and
6c ADDRESS (City, State, and ZIP Code) Technion City Haifa 32000 Israel.		Box 14 FPO NY C			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFATL	8b. OFFICE SYMBOL (If applicable) FXG	9. PROCUREMENT	T INSTRUMENT IDE	NTIFICATION	ON NUMBER
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF F	UNDING NUMBERS	S	,
Eglin AFB, FL 32542		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO	WORK UNIT ACCESSION NO
11. TITLE (Include Security Classification) Stochastic Game Approach to Gu	uidance Design				
12 PERSONAL AUTHOR(S) Prof. J. Shinar	Ducore.				
بين	OVERED 6.87_TO30.11.87	14. DATE OF REPO 28.2.87	PRT (Year, Month, a	<i>Uay)</i> 15.	PAGE COUNT
16. SUPPLEMENTARY NOTATION					!
17. COSATI CODES FIELD GROUP SUB-GROUP	18. SUBJEČT TERMŠ (C		e if necessary and	lidentify b	oy block number)
19. ABSTRACT (Continue on reverse if necessary	and identify by block nu	ımber)			
This report covers the second No. 86-0355. The mixed second program, has been appethat an optimal mixed three-didimensional design procedure.	econd phase of the strategy approach olied in three-d	he research h to guidanc imensional ex	e law design	i, propo	osed in this
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT		21. ABSTRACT SE	CURITY CLASSIFICA	ATION	
☑ UNCLASSIFIED/UNLIMITED ☐ SAME AS R	RPT DTIC USERS				

TECHNION RESEARCH AND DEVELOPMENT FOUNDATION LTD. TECHNION CITY, HAIFA 32000, ISRAEL

INTERIM SCIENTIFIC REPORT
(1 JUNE. 1987 - 30 NOVEMBER, 1987)

Research Title: STOCHASTIC GAME APPROACH TO GUIDANCE DESIGN (AFOSR Grant No. 86-3055)

Principal Investigator: Prof. J. Shinar

Dept. of Aeronautical Engineering
Technion - Israel Institute of Technology
Haifa 32000, Israel.



Accesio	n for		
NUS	CRAR!		
DTIC			
ปะเสดเห		\Box	1
justitic	alich		
By Distrib			
	ivallability	Codes	
Dist	Avall do		
A-1			
1.	1_1		



INTERIM SCIENTIFIC REPORT (3)

General

The present report briefly outlines the research activities performed during the second phase of the planned investigation under AFOSR Grant No. 86-3055. This second phase covers the period of 6 months starting 1 June 1987. The actual investigation activity can be separated into two subperiods of 3 months. During each of these subperiods different tasks were carried out:

- (i) (June-Aug.) Investigation of the interaction between genuine (kinematic) target maneuver and electronic jinking.

Interaction Between Maneuvering and ECM (June-Aug).

This investigation was a direct extension of previous elements in the research program. Part of the results were included in the paper at the AIAA Guidance and Control Conference in Monterey, CA. (17-19 Aug. 1987, (Ref. 1)).

Between the submission of the paper and the meeting with the Project Manager, several additional examples were worked out.

These results were discussed in detail with the Project Manager and his Associate.

The main conclusion from the results and the following meeting has been that the two-dimensional model used until this phase in the investigation is a limiting factor for analysing the interaction between the genuine kinematic target maneuvering and the electronic jinking. These two random disturbances, created to confuse the missile's capability to estimate the state variables, act in fact

perpendicularly to each other. For a meaningful analysis therefore a three-dimensional model of the interception is needed.

Three-Dimensional Analysis (Sept.-Nov.)

Based on the conclusions of the meeting with the Project
Manager, the investigation during these three months was
concentrated to set up a three-dimensional model for designing
mixed guidance laws.

Unfortunately, the funding for the second phase of the investigation had not been forwarded to the Technion until the end of December, 1987. For this reason only a small number of examples could be worked out.

These examples confirmed that the commonly used missile design procedure, i.e. implementing two identical 2-D guidance laws in perpendicular planes for a 3-D scenario, yields for the present problem a performance level which is far from being optimal. This leads to the conclusion that an optimal mixed guidance strategy for a 3-D geometry has to be developed by a genuine 3-D design procedure.

The results of this work will be presented as an invited paper at the American Control Conference in June 1988 (Ref. 2). The paper will be forwarded as soon as it is completed.

References

- Forte, I., Shinar, J., "Improved Guidance Law Design Based on the Mixed Strategy Concept", AIAA Paper No. 87-2384-CP, was presented at the AIAA Guidance, Navigation and Control Conference, Monterey, California, Aug. 17-19, 1987.
- Forte, I. and Shinar, J., "Application of the Mixed Strategy Concept in 3-D". Invited Paper for the American Control Conference, Atlanta, Georgia, 15-17 June, 1988.